

- BIBLIOGRAPHY -

I'm truly sorry man's dominion
Has broken nature's social union,
An' justifies that ill opinion
Which mak's thee startle
At me, thy poor earth-born companion,
An' fellow-mortal!

Burns R. (1759-96) From *To a Mouse*.
Fawside J (ed) (1896) *The Poetical Works*
of Robert Burns, Bliss, Sands & Foster.



ACKNOWLEDGEMENTS

Praise Be to Clyde W. Grotophorst of GMUtant Software for creating **BIBL**.

- Aarsen L. W.** (1997) High productivity in grassland ecosystems: effected by species diversity or productive species? *Oikos* **80**: 183-184.
- Aarsen L. W.** (1988) 'Pecking order' of four plant species from pastures of different ages. *Oikos* **51**: 3-12.
- Ackeroyd J.** (1994) Seeds of destruction. *Natural World* **39**: 26-27.
- Acland C. T. D.** (1896) Reports upon the society's experiments for the improvement of permanent pasture. *Journal of the Bath & West of England Society* **7**: 141-160.
- Adams W. M.** (1997) Rationalization and conservation: ecology and the management of nature in the United Kingdom. *Transactions of the Institute of British Geographers* **22**: 277-291.
- Agate E.** (ed)(2000) *Tree Planting and Aftercare*. British Trust for Conservation Volunteers, Wallingford, Oxon.
- Aerts R., Huiszoon A., Van Oostrum J. H. A., Van de Vijer C. A. D. M. & Willems J. H.** (1995) The potential for heathland restoration on formerly arable land at a site in Drenthe, the Netherlands. *Journal of Applied Ecology* **32**: 827-835.
- Alderson L. & Small R.** (1997) Rare breeds, natural choices. *enact* **5**: 4-7.
- Allen R. H.** (1992) *The A10 Melbourn Bypass Planting Trial: a Backdrop of Wildflowers*. Unpublished report, High Value Horticulture PLC, Uxbridge.
- Allen S. E., Grimshaw H. M. & Rowland A. P.** (1986) Chemical analysis. In: *Methods in Plant Ecology*, Moore P. D. & Chapman S. B. (eds), Blackwell Scientific Publications, Oxford, pp. 285-344.
- Al-Mufti M. M., Sydes C. L., Furness S. B., Grime J. P. & Band S. R.** (1977) A quantitative analysis of shoot phenology and dominance in herbaceous vegetation. *Journal of Ecology* **65**: 759-791.
- Anderson, P.** (1995) Ecological restoration and creation: a review. *Biological Journal of the Linnean Society* **56** (suppl.): 187-211.
- Arnthórsdóttir S.** (1994) Colonisation of experimental patches in mown grassland. *Oikos* **70**: 230-240.
- Ash H. J. Bennett R. & Scott R.** (1993) *Flowers in the Grass: Creating and Managing Grasslands with Wild Flowers*. English Nature, Peterborough.
- Ausden M. & Treweek J.** (1995) Grasslands. In: *Managing Habitats for Conservation*, Sutherland W. J. & Hill D. A. (eds), Cambridge University Press, pp. 197-229.
- Bacon J. C.** (1990) The use of livestock in calcareous grassland management. In: *Calcareous Grasslands - Ecology and Management*, Hillier S. H., Walton D. W. H. & Wells D. A. (eds), Bluntisham Books, Huntingdon, pp. 121-127.

- Baines C.** (1995) Urban areas. In: *Managing Habitats for Conservation*, Sutherland W. J. & Hill D. A. (eds), CUP, Cambridge. pp. 362-380.
- Bakker J. P.** (1994) Nature management in Dutch grasslands. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 115-124.
- Bakker J. P. & Berendse F.** (1999) Constraints in the restoration of ecological diversity in grassland and heathland communities. *Trends in Ecology & Evolution* **14**: 63-68.
- Bakker J. P., Dekker M. & de Vries Y.** (1980) The effect of different management practices on a grassland community and the resulting fate of seedlings. *Acta Botanica Neerlandica* **29**: 469-482.
- Bakker J. P., de Leeuw J. & Van Wieren S. E.** (1983) Micro-patterns in grassland vegetation created and sustained by sheep-grazing. *Vegetatio* **55**: 153-161.
- Bakker J. P., Elzinga J. A. & de Vries Y.** (2002) Effects of long-term cutting in a grassland system: perspectives for restoration of plant communities on nutrient-poor soils. *Applied Vegetation Science* **5**: 107-120.
- Bakker J. P., Poschlod P., Strykstra R. J., Bekker R. M. & Thompson K.** (1996) Seed banks and seed dispersal: important topics in restoration ecology. *Acta Botanica Neerlandica* **45**: 461-490.
- Bakker J. P., van Andel J. & van der Maarel E.** (1998) Plant species diversity and restoration ecology: introduction. *Applied Vegetation Science* **1**: 5-8.
- Baldwin Jr, A.D., de Luce J. & Pletsch C.** (1994) Conclusion: constructing a new ecological paradigm. In: *Beyond Preservation: Restoring and Inventing Landscapes*, Baldwin Jr, A.D., de Luce J. & Pletsch C. (eds), University of Minnesota Press, pp. 260-265.
- Barbaro L., Dutoit T. & Cozic P.** (2001) A six-year experimental restoration of biodiversity by shrub-clearing and grazing in calcareous grasslands of the French Prealps. *Biodiversity and Conservation* **10**: 119-135.
- Battershill M. R. J. & Gilig A. W.** (1996) New approaches to creative conservation on farms in south-west England. *Journal of Environmental Management* **48**: 321-340.
- Baudry J. Thenail C., Le Coeur D., Burel F. & Alard D.** (1994) Landscape ecology and grassland conservation. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 157-166.
- Bazzaz F.A. & Ackerly D.D.** (1992) Reproductive allocation and reproductive effort in plants. In: *Seeds - The Ecology of Regeneration in Plant Communities*, Fenner M (ed), CAB International, Wallingford. pp. 1-26.
- Begon M.** (1985) A general theory of life-history variation. In: *Behavioural Ecology*, Sibly R.M. & Smith R.H. (eds), Blackwell Scientific Publications, Oxford, pp. 91-97.
- Begon M., Harper J. L. & Townsend C. R.** (1990) *Ecology: Individuals, Populations and Communities*. Blackwell Scientific Publications, Boston.
- Bekker R. M., Schaminée J. H. J., Bakker J. P. & Thompson K.** (1998) Seed bank characteristics of Dutch plant communities. *Acta Botanica Neerlandica* **47**: 15-26.
- Bekker R. M., Verweij G. L., Bakker J. P. & Fresco L. F. M.** (2000) Soil seed bank dynamics in hayfield succession. *Journal of Ecology* **88**: 594-607.
- Bekker R. M., Verweij G. L., Smith R. E. N., Reine R., Bakker J. P. & Schneider S.** (1997) Soil seed banks in European grasslands: does land use affect regeneration perspectives? *Journal of Applied Ecology* **34**: 1293-1310.
- Bennett W. H.** (1840) *Particular and Valuation of Lands and premises in the Parish of Bruton in the County of Somerset Belonging to Messers William, Richard, and Harry Hole*. Unpublished Report, Bruton.

- Berendse F., Oomes M. J. M., Altena H. J. & Elberse W. Th.** (1992) Experiments on the restoration of species-rich meadows in the Netherlands. *Biological Conservation* **62**: 59-65.
- Bigal E.** (1999) Agenda 2000 - the Common Agricultural Policy reform proposals. *British Wildlife* **10**: 172-176.
- Bigal E., Jones G. & McCracken D.** (2001) Future directions in agricultural policy and nature conservation. *British Wildlife* **13**: 16-20.
- Bigal E. M., McCracken D. J.** (1996) Low-intensity farming systems in the conservation of the countryside. *Journal of Applied Ecology*, **33**: 413-424.
- BIODEPTH** (2000) *BIODEPTH: The Experiment*. <http://forest.bio.ic.ac.uk/cpb/biodepth/>
- Biodiversity Challenge Group (BCG)** (2001) *Biodiversity Challenge Report 2001*. <http://www.biodiversity-challenge.org.uk/>
- Bischoff A.** (2002) Dispersal and establishment of floodplain grassland species as limiting factors in restoration. *Biological Conservation* **104**: 25-33.
- Bisgrove R.** (1988) Flower rich grasslands: using wild flower plants and growth retardants. In: *Wild Flowers '87*, Taylor, G. & Shildrick, J. (eds), Workshop Report 14, National Turfgrass Council, L.J. Ruskin & Son, Lincs, pp. 27-37.
- Bisgrove R. & Dixie G.** (1994) Wild flowers: plugging the gap. *enact* **2**: 18-20.
- Blackstock, T. H., Rimes, C. A., Stevens, D. P., Jefferson, R. G., Robertson, H. J., Mackintosh, J. & Hopkins, J. J.** (1999) The extent of semi-natural grassland communities in lowland England and Wales: a review of conservation surveys 1978-96. *Grass and Forage Science* **54**: 1-18.
- Blieth Walter** (1649) *The English Improver Improved or the Survey of Husbandry Surveyed Discovering the Improvement of all Lands*. Printed for John Wright at the Kings-Head in the Old-Bayley.
- Bobbink R. & Willems J. H.** (1993) Restoration management of abandoned chalk grassland in the Netherlands. *Biodiversity and Conservation* **2**: 616-626.
- Bonis A. Grubb P. J. & Coomes D. A.** (1997) Requirements of gap-demanding species in chalk grassland: reduction of root competition versus nutrient-enrichment by animals. *Journal of Ecology* **85**: 625-633.
- Boorman L. A. & Fuller R. M.** (1982) Effects of added nutrients on dune swards grazed by rabbits. *Journal of Ecology* **76**: 345-355.
- Boyce D.** (1994) Survival and spread of pot-grown flowers inserted into a perennial ryegrass ley. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 238-9.
- Bradshaw A. D.** (1997) What do we mean by restoration? In: *Restoration Ecology and Sustainable Development*, Urbanska K. A., Webb N. R. & Edwards P. J. (eds), Cambridge University Press, pp. 8-13.
- Bradshaw A. D.** (1993) Restoration ecology as a science. *Restoration Ecology* **1**: 71-73.
- Bradshaw A. D.** (1987) Restoration: an acid test for ecology. In: *Restoration Ecology: a Synthetic Approach to Ecological Research*, Jordan III N. R., Gilpin M. E. & Aber J. D. (eds), Cambridge University Press, pp. 23-29.
- Bradshaw A. D.** (1983) The reconstruction of ecosystems. *Journal of Applied Ecology* **20**: 1-17.
- Brady N. C. & Weil R. R.** (1999) *The Nature and Properties of Soils*. Prentice Hall, New Jersey.
- Bratton S. P.** (2000) Alternative models of ecosystem restoration. In: *Environmental Restoration: Ethics, Theory and Practice*, Throop W. (ed), Humanity Books, New York, pp. 53-68.

- Brenchley W. E.** (1916) West country grasslands. *Journal of the Bath & West & Southern Counties Society* **11**: 85-112.
- Bright D.** (1999) Big is beautiful. *Natural World* **57** (winter): The Wildlife Trusts, Newark. pp. 31-32.
- Broad J.** (1980) Alternate husbandry and permanent pasture in the Midlands, 1650-1800. *Agricultural History Review* **28**: 77-89.
- Brooks A.** (1980) *Woodlands: a Practical Handbook*. British Trust for Conservation Volunteers, Wallingford, Oxfordshire.
- Brown A. H. F. & Oosterhuis L.** (1981) The role of buried seeds in coppicewoods. *Biological Conservation* **21**: 19-38.
- Brown A. H. F. & Warr S. J.** (1992) The effects of changing management on the seed banks in ancient coppices. In: *Ecology and Management of Coppice Woodlands*, Buckley G. P. (ed), Chapman & Hall, London. pp. 147-166.
- Brown V. K. & Gibson C. W. D.** (1994) Re-creation of species-rich calcicolous grassland communities. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium No. 28, pp. 125-135.
- Bruton Parish Map** (1838) Bruton.
- Bruton Tithe Map** (1841) Bruton Library, Bruton.
- Buckley G. P.** (ed) (1989) In: *Biological Habitat Reconstruction*, Bellhaven Press, London.
- Buckley G. P. & Knight D. G.** (1989) The feasibility of woodland reconstruction. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, 171-188.
- Buckman J.**, (1863) On the composition and cultivation of meadows. *Journal of the Bath & West of England Agricultural Society* **6**: 277-296.
- Bullock J. M., Clear Hill B., Dale M. P. & Sivertown J.** (1994) An experimental study of the effects of sheep grazing on vegetation change in a species-poor grassland and the role of seedling recruitment into gaps. *Journal of Applied Ecology* **32**: 493-507.
- Bullock J. M., Clear Hill B., Sivertown J. & Sutton M.** (1995) Gap colonisation as a source of grassland community change - effects of gap size and grazing on the rate and mode of colonisation by different species. *Oikos* **72**: 273-282.
- Bullock J. M. & Hodder K. H.** (1997) Reintroductions: challenges and lessons for basic ecology. *Trends in Ecology and Evolution* **31**: 68-69.
- Bullock J. M., Pywell R. F., Burke M. J. W. & Walker K. J.** (2001) Restoration of biodiversity enhances agricultural production. *Ecology Letters* **4**: 185-189.
- Burke M. J. W. & Grime J. P.** (1996) An experimental study of plant community invasibility. *Ecology* **77**: 776-790.
- Cairns Jr, J.** (1999) Balancing ecological destruction and restoration: the only hope for the sustainable use of the planet. *Aquatic Ecosystem Health & Management* **2**: 91-95.
- Cairns Jr, J.** (1993) Is restoration ecology practical? *Restoration Ecology* **1**: 3-7.
- Cairns J.** (1991) The status of the theoretical and applied science of restoration ecology. *Environmental Professional* **13**: 186-194.
- Cairns Jr J.** (1986) Restoration, reclamation, and regeneration of degraded or destroyed ecosystems. In: *Conservation Biology: the Science of Scarcity and Diversity*, Soulé, M. E. (ed), Sinauer Associates Inc., Massachusetts.
- Carlsen T. M., Menke J. W. & Pavlik B. M.** (2000) Reducing competitive suppression of a rare annual forb by restoring native California perennial grasslands. *Restoration Ecology* **8**: 18-29.

- Castle M. E.** (1976) A simple disc instrument for estimating herbage yield. *Journal of the British Grassland Society* **31**: 37-40.
- Cavers P. B. & Harper J. L.** (1967) Studies in the dynamics of plant populations: I. The fate of seed and transplants introduced into various habitats. *Journal of Ecology* **55**: 59-71.
- Chalmers N. & Parker P.** (1989) *The OU Project Guide*. Field Studies Council, Dorset.
- Chambers** (1995) *Chambers Combined Dictionary Thesaurus*. Larousse plc, Edinburgh.
- Champness S. S. & Morris K.** (1948) Populations of buried seeds in relation to contrasting pasture and soil types. *Journal of Ecology* **36**: 149-173.
- Chancellor R. J.** (1986) Decline of arable weed seeds during 20 years in soil under glass and the periodicity of seedling emergence after cultivation. *Journal of Applied Ecology* **23**: 631-637.
- Chapman, R. & Younger A.** (1994) Recruitment of non-sown species into a species-rich grassland established on a restored site. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 250-251.
- Chippindale H. G.** (1948) Resistance to inanition in grass seedlings. *Nature, London* **161**: 65.
- Chippindale H. G. & Milton W. E.** (1934) On the viable seeds present in the soil beneath pastures. *Journal of Ecology* **22**: 508-531.
- Clapham A. R., Tutin T. G. & Moore D. M.** (1987) *Flora of the British Isles* 3rd Ed. Cambridge University Press, Cambridge.
- Clark J. & Baldock D.** (1994) *Renewing The Farmed Landscape*. RSNC Report, Institute of European Environmental Policy, London.
- Clark M. J.** (1997) Ecological restoration - the magnitude of the challenge: an outsiders view. In: *Restoration Ecology and Sustainable Development*, Urbanska K. A., Webb N. R. & Edwards P. J. (eds), Cambridge University Press, pp. 353-377.
- Clear Hill B. H. & Silvertown J.** (1994) The effects of slugs, sward conditions and sheep grazing on seedling emergence. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 252-253.
- Clewell A, Rieger J. & Munro J.** (2000) *Guidelines for Developing and Managing Ecological Restoration Projects*. Society for Ecological Restoration, <http://www.ser.org>
- Coffin D. P. & Lauenroth W. K.** (1988) The effects of disturbance size and frequency on a shortgrass plant community. *Ecology* **69**: 1609-1617.
- Cottam G. & Wilson H. C.** (1966) Community dynamics of an artificial prairie. *Ecology* **47**: 88-96.
- Coulson S., Bullock J. M., Stevenson M. J. & Pywell R. F.** (2001) Colonization of grassland by sown species: dispersal versus microsite limitation in responses to management. *Journal of Applied Ecology* **38**: 204-216.
- CIS (Countryside Information System)** (2000) Institute of Terrestrial Ecology, Cambridgeshire, <http://www.cis-web.org.uk>.
- Crawley M. J.** (1987) What makes a community invasible? In: *Colonization, Succession and Stability*, Gray A. J., Crawley M. J. & Edwards P. J. (eds), Blackwell, Oxford, pp. 429-453.
- Critchley C. N. R., Chambers B. J., Fowbert J. A., Sanderson R. A., Bhogal A. & Rose S. C.** (2002) Association between lowland grassland plant communities and soil properties. *Biological Conservation* **105**: 199-215.

- Crofts A.** (1999a) Grassland creation. In: *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.
- Crofts A.** (1999b) Grassland restoration. In: *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.
- Crofts A. & Grayson B.** (1999) Grazing. In: *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.
- Davies A.** (1992) *Management Plan for Lusty Hill Farm*. Unpublished report for successful Countryside Stewardship Scheme application. Bruton.
- Davies A. & Davies I.** (1998) Managing your own wildlife site - the extent of Private Nature Reserves (PNRs) and their potential contribution to conservation in England. *British Wildlife* **9**: 378-383.
- Davies A. & Davies O.** (1997) English agriculturists' attitudes towards grassland vegetation, 1780-1914: an ecological perspective. *Landscape History* **18**: 71-80.
- Davies A. Dunnett N. P. & Kendle T.** (1999) The importance of transplant size and gap width in the botanical enrichment of species-poor grasslands. *Restoration Ecology* **7**: 271-280.
- Davies A. & Waite S.** (1998) The persistence of calcareous grassland species in the soil seed bank under developing and established scrub. *Plant Ecology* **136**: 27-39.
- Davies A., Kendle A. D., Bisgrove R. J. & Marder J.** (1996) Effects of interactions between site, management and species on the planned establishment of wildflowers in grassland. *Aspects of Applied Biology* **44**: 377-384.
- Davies D. A.** (1997) *Improved Upland Pastures: the Bronydd Mawr Story*. IGER Bronydd Mawr, Trecastle, Powys.
- Davies D.A., Fothergill M. & Morgan, C. T.** (1994) Effect of reducing nutrient input on productivity and botanical composition of an upland sward. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium 28, pp. 256-257.
- Davis B., Walker N., Ball D. & Fitter A.** (1992) *The Soil*. Harper Collins, London.
- DEFRA (Department for Environment, Food & Rural Affairs)** (2002) *England Rural Development Programme*. <http://www.defra.gov.uk/erdp/>
- DEFRA (Department for Environment, Food & Rural Affairs)** (2001) *The Countryside Stewardship Scheme: Traditional Farming in the Modern Environment*. DEFRA, London.
- Dixie G. & Bisgrove R.** (1996) *Wild Flower Plug Plants in Grass Lands*. High Value Horticulture Ltd, Blandford Forum, Dorset.
- Dodd M. E., Silvertown J., McConway K., Potts J., & Crawley M.** (1994) Stability in the plant communities of the Park Grass experiment: the relationships between species richness, soil pH and biomass variability. *Philosophical Transactions of the Royal Society of London* **346**: 185-193.
- DOE (Department of the Environment)** (1994) *Biodiversity: The UK Action Plan*. HMSO, London.
- Donelan M. & Thompson K.** (1980) Distribution of buried viable seeds along a successional series. *Biological Conservation* **17**: 291-311.
- Dryden R.** (1997) *Habitat Restoration project: fact sheets and Bibliographies*. Horton, P. and Hall. J. (eds), English Nature Research Reports **260**: English Nature, Peterborough.

- Dunnett N.** (1995) *Vegetation and Climate: a Thirty-Six Year Study in Road Verges at Bibury, Gloucestershire*. Unpublished PhD Thesis, University of Sheffield.
- Dunnett N. & Grime J. P.** (1999) Competition as an amplifier of short-term vegetation responses to climate: an experimental test. *Functional Ecology* **13**: 388-395.
- Dunnett N. P. & Willis A. J.** (2000) Dynamics of *Chamerion angustifolium* in grassland vegetation over a thirty-nine-year period. *Plant Ecology* **148**: 43-50.
- Dunnett N. P., Willis A. J., Hunt R. & Grime J. P.** (1998) A 38-year study of relations between weather and vegetation dynamics in road verges near Bibury, Gloucestershire. *Journal of Ecology* **86**: 610-623.
- Dutoit T. & Alard D.** (1995) Permanent seed banks in chalk grassland under various management regimes: their role in the restoration of species-rich plant communities. *Biodiversity and Conservation* **4**: 939-950
- Dyer C., Hey D. & Thirsk J.** (2000) Lowland Vales. In *The English Rural Landscape*, Thirsk J. (ed), OUP, Oxford.
- Eco-Ag Ltd** (1997) Soil Audit for Newborne Farm, Bruton. Unpublished Report.
- Edwards G. R. & Crawley M. J.** (1999) Herbivores, seed banks and seedling recruitment in mesic grassland. *Journal of Ecology* **87**: 423-435.
- Edwards P. J., Webb N. R., Urbanska K. M. & Bornkamm R.** (1997) Restoration ecology: science, technology and society. In: *Restoration Ecology and Sustainable Development*, Urbanska K. A., Webb N. R. & Edwards P. J. (eds), Cambridge University Press, pp. 381-390.
- Ehrenfeld J. G.** (2000) Defining the limits of restoration: the need for realistic goals. *Restoration Ecology* **8**: 2-9.
- Ehrlén J. & van Groenendael J. M.** (1998) The trade-off between dispersability and longevity - an important aspect of plant species diversity. *Applied Vegetation Science* **1**: 29-36.
- Ejrnaes R. & Bruun H. H.** (2000) Gradient analysis of dry grassland vegetation in Denmark. *Journal of Vegetation Science* **11**: 573-584.
- Elliot R.** (1997) *Faking Nature: the Ethics of Environmental Restoration*. Routledge, London.
- Elsmere J. I.** (1986) Use of fertilizers in England and Wales. 1985. In: *Rothamstead Experimental Station Report for 1985*. 245-51. Harpenden, Lawes Agricultural Trust.
- Emorsgate Seeds** (2001) *British Wild Flower and Grass Seeds*. Commercial Catalogue King's Lynn, Norfolk
- Entec** (2000) *Millennium Biodiversity Report – Independent Evaluation of Progress*. Entec, Learnington Spa, UK.
- Eriksson O. & Jakobsson A.** (1998) Abundance, distribution and life histories of grassland plants: a comparative study of 81 species. *Journal of Ecology* **86**: 922-933.
- Eriksson Å. & Eriksson O.** (1997) Seedling recruitment in semi-natural pastures: the effects of disturbance, seed size, phenology and seed bank. *Nordic Journal of Botany* **17**: 469-482.
- Evans M.** (1876) Notes on inoculation of grass land, as practised at Kimbolton. *Journal of the Royal Agricultural Society of England* **12**: 230-236.
- Everett S.** (2001) Grassland losses. *British Wildlife* **13**: 143.
- Everett S.** (1999) Putting wild plants where they belong. *Plantlife*, **Spring**: 12-13.
- Ewel J. J.** (1987) Restoration is the ultimate test of ecological theory. In: *Restoration Ecology: a Synthetic Approach to Ecological Research*, Jordan III W. R., Gilpin M. E. & Aber J. D. (eds), Cambridge University Press, pp 31-33.
- Fenner M.** (1985) *Seed Ecology*. Chapman and Hall, London.

- Fenner M.** (1978) A comparison of the abilities of colonizers and closed-turf species to establish from seed in artificial swards. *Journal of Ecology* **66**: 953-963.
- Fenner M. & Lee W. G.** (1989) Growth of seedlings of pasture grasses and legumes deprived of single mineral nutrients. *Journal of Applied Ecology* **26**: 223-232.
- Fenner M. & Palmer L.** (1998) Grassland management to promote diversity: creation of a patchy sward by mowing and fertiliser regimes. *Field Studies* **9**: 313-324
- Fenner M. & Spellerberg I. F.** (1988) Plant species enrichment of ecologically impoverished grassland: a small scale trial. *Field Studies* **7**: 153-158.
- Fischer M. & Stöcklin J.** (1997) Local extinctions of plants in remnants of extensively used calcareous grasslands 1950-1985. *Conservation Biology* **11**: 727-737.
- Fisher G. E. J., Baker L. J. & Tiley G. E. D.** (1996) Herbage production from swards containing a range of grass, forb and clover species under extensive management. *Grass and Forage Science* **51**: 58-72.
- Fisher G. E. J., Baker L. J. & Robertson D. A.** (1994) Effects of seed mixture, cutting/grazing and slurry on yield and composition of sown pastures. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 195-199.
- Flora Locale** (2000a) *Schemes With Wildlife in Mind*. <http://www.naturebureau.co.uk/floralocale>
- Flora Locale** (2000b) *The white clover (Trifolium repens) issue: the role of white clover in the loss of diversity in grassland habitat creationment*. <http://www.naturebureau.co.uk/floralocale>
- FOE (Friends of the Earth)** (2002) *Curry Report Only First Step Towards Greener Farming*. Press Release, <http://www.foe.org.uk/>
- FOE (Friends of the Earth)** (2000) *Wildplaces. Briefings - Countryside at Risk*. <http://www.foe.org.uk/wildplaces>
- Forcella F.** (1984) A species-area curve for buried viable seeds. *Australian Journal of Agricultural Research* **35**: 645-652.
- Fowler A. D.** (1994) Soil seed banks and vegetation of limestone grassland patches in Wytham Woods, Oxford. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 272-274.
- Fowler J., Cohen L. & Jarvis P.** (1998) *Practical Statistics for Field Biology*. John Wiley & Sons, Chichester
- Fowler N. & Antonovics J.** (1981) Competition and coexistence in a North Carolina grassland. Patterns in undisturbed vegetation. *Journal of Ecology* **69**: 825-841.
- Frame J.** (1981) Herbage mass. In: *Sward Measurement Handbook*, Hodgson J., Baker R. D., Davies A., Laidlaw A. S. & Leaver J. D. (eds), British Grassland Society, Maidenhead, Berks.
- Frame J., Fisher G. E. J. & Tiley, G. E. D.** (1994) Wildflowers in grassland systems. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 104-114.
- Francis J. L. & Morton A.** (2001) Enhancement of amenity-woodland field layers in Milton Keynes. *British Wildlife* **12**: 244-251.
- Fraser A. J. L.** (1991) *Managing Wildflower Grasslands: a Guide for Landowners*. Worcestershire. Nature Conservation Trust Ltd., Worcester.
- Fraser L. H. & Grime J. P.** (1999) Interacting effects of herbivory and fertility on a synthesized plant community. *Journal of Ecology* **87**: 514-525.

- Froud-Williams R. J., Chancellor R. J. & Drennan D. S. H.** (1984) The effects of seed burial and soil disturbance on emergence and survival of arable weeds in relation to minimal cultivation. *Journal of Applied Ecology* **21**: 629-641.
- Fuller R. M.** (1987). The changing extent and conservation interest of lowland grasslands in England and Wales: a review of grassland surveys 1930-84. *Biological Conservation* **40**: 281-300.
- García Torres L.** (ed) (1999) *Conservation Agriculture In Europe: Environmental, Economic, and EU Policy Perspectives*. European Conservation Agriculture Federation, Brussels.
- Gatsuk E., Smirnova O. V., Vorontzova L. I., Zaugolnova L. B. & Zhukova L. A.** (1980) Age-states of plants of various growth forms: a review. *Journal of Ecology* **68**: 675-696.
- Gibson C. C.** (2000) Use of hay rattle. *enact* **8**: 14
- Gibson C. W. D.** (1998) South Somerset SSSIs: A Study of Neutral Grassland Succession. English Nature Research Report **266**: Peterborough.
- Gibson C. W. D.** (1997) *The Effects of Horse and Cattle Grazing on English Species-Rich Meadows*. English Nature Research Report **210**: Peterborough.
- Gibson C. W. D.** (1995) *Chalk Grasslands on Former Arable Land: a Review*. Unpublished report, Bioscan (UK) Ltd, St. Clements, Oxford.
- Gibson C. W. D. & Brown V. K.** (1992) Grazing and vegetation change: deflected or modified succession? *Journal of Applied Ecology* **29**: 120-131.
- Gibson C. W. D. & Brown V. K.** (1991) The nature and rate of development of calcareous grasslands in southern Britain. *Biological Conservation* **58**: 297-316.
- Gibson, C. W. D. Watt T. A. & Brown V. K.** (1987) The use of sheep grazing to recreate species-rich grassland from abandoned arable land. *Biological Conservation* **42**: 165-183.
- Gibson D. J.** (1988) The relationship of sheep grazing and soil heterogeneity to plant spatial patterns in dune grassland. *Journal of Ecology* **76**: 233-252.
- Gibson D. J., Ely J. S. & Collins S. L.** (1999) The core-satellite species hypothesis provides a theoretical basis for Grime's classification of dominant, subordinate, and transient species. *Journal of Ecology* **87**: 1064-1067.
- Gilbert O. & Anderson P.** (1998) *Habitat Creation and Repair*. Oxford University press, Oxford.
- Goldberg, D. E.** (1987) Seedling colonisation of experimental gaps in two old field communities. *Bulletin of the Torrey Botanical Club* **114**: 139-148.
- Goldberg D. E. & Werner P. A.** (1983) The effects of size of opening in vegetation and litter cover on seedling establishment of golden rods (*Solidago* spp.). *Oecologia* (Berlin) **60**: 149-155.
- Gordon I. J. & Duncan P.** (1994) Objectives for production and conservation in grasslands: effects of large grazing ungulates. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 20-29.
- Gough L., Grace J. B. & Taylor K. L.** (1994) The relationship between species richness and community biomass: the importance of environmental variables. *Oikos* **76**: 271-279.
- Gough B. H. & Marrs R. H.** (1990) A comparison of soil fertility between semi-natural and agricultural plant communities: implications for the creation of species-rich grassland on abandoned arable land. *Biological Conservation* **51**: 83-96.

- Graham D. J. & Hutchings M. J.** (1988a) Estimation of the seed bank of a chalk grassland ley established on former arable land. *Journal of Applied Ecology* **25**: 241-252.
- Graham D. J. & Hutchings M. J.** (1988b) A field investigation of germination from the seed bank of a chalk grassland ley on former arable land. *Journal of Applied Ecology* **25**: 253-263.
- Granström A.** (1988) Seed banks at six open and afforested heathland sites in Southern Sweden. *Journal of Applied Ecology* **25**: 297-306.
- Grayson W.** (1999) The agricultural perspective. In *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.
- Green B. H.** (1985) *Countryside Conservation: the Protection and management of Amenity Ecosystems*. George Allen & Unwin, London.
- Green B. H.** (1990) Agricultural intensification and the loss of habitat, species and amenity in British grasslands: a review of historical change and assessment of future prospects. *Grass and Forage Science* **45**: 365-372.
- Green B. H. & Burnham C. P.** (1989) Environmental opportunities offered by surplus agricultural production. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Belhaven Press, London, pp. 92-101.
- Green P. R., Green I. P. & Crouch. G. A.** (1997) *The Atlas Flora of Somerset*. Avonset, Bath, U.K.
- Green S. B., Salkind N. J. & Akey T. M.** (1997) *Using SPSS for Windows: Analyzing and Understanding Data*. Prentice Hall, New Jersey.
- Grieg-Smith P.** (1983) *Quantitative Plant Ecology*. Blackwell, Oxford.
- Grime J. P.** (1998) Benefits of plant diversity to ecosystems: immediate filter and founder effects. *Journal of Ecology* **86**: 902-910
- Grime J. P.** (1987) Dominant and subordinate components of plant communities: implications for succession, stability and diversity. In: *Colonization, Succession and Stability*, Gray A. J., Crawley M. J. & Edwards P. J. (eds), Blackwell, Oxford, pp. 429-453.
- Grime J. P.** (1981) The role of seed dormancy in vegetation dynamics. *Annals of Applied Biology* **98**: 555-558.
- Grime J. P.** (1979) *Plant Strategies and Vegetation Processes*. John Wiley, Chichester.
- Grime J. P.** (1973) Competitive exclusion in herbaceous vegetation. *Nature* **242**: 344-347.
- Grime J. P. & Curtis A. V.** (1976) The interaction of drought and mineral nutrient stress in calcareous grassland. *Journal of Ecology* **64**: 975-988.
- Grime J. P. & Hillier S. H.** (1992) The contribution of seedling regeneration to the structure and dynamics of plant communities and larger units in the landscape. In: *Seeds - The Ecology of Regeneration in Plant Communities*, Fenner M (ed), CAB International, Wallingford. pp. 349-364.
- Grime J. P., Hodgson J. G. & Hunt R.** (1988) *Comparative Plant Ecology*. Unwin Hyman, London.
- Gross K. L.** (1990) A comparison of methods for estimating seed numbers in the soil. *Journal of Ecology* **78**: 1079-1093.
- Grotophorst C. W.** (1996) BIBL for Windows, Version 2.66. GMUtant Software, <http://timesync.gmu.edu/gmutant/>
- Grubb P. J.** (1982) Control in relative abundance in roadside Arrhenatherum: results of a long-term experiment. *Journal of Ecology* **70**: 845-861.
- Grubb P. J.** (1977) The maintenance of species-richness in plant communities: the importance of the regeneration niche. *Biological Review* **52**: 107-145.

- Grubb P. J.** (1976) A theoretical background to the conservation of ecologically distinct groups of annuals and biennials in the chalk grassland ecosystem. *Biological Conservation* **10**: 53-76.
- Gunderson L.** (1999) Resilience, flexibility and adaptive management - antidotes for spurious certitude? *Conservation Ecology* **3**: 7: <http://www.consecol.org/>
- Haines-Young R. H. et al** (2000) *Accounting for Nature: Assessing Habitats in the UK Countryside*. DETR, London.
- Hambler C. & Speight, M. R.** (1995) Biodiversity conservation in Britain: science replacing tradition. *British Wildlife* **6**: 137-148.
- Handa I. T. & Jefferies R. L.** (2000) Assisted revegetation trials in degraded salt-marshes. *Journal of Applied Ecology* **37**: 944-958.
- Hanley M. E. & Fenner M.** (1997) Effects of molluscicides on seedlings of four grassland plant species. *Journal of Applied Ecology* **34**: 1479-1483.
- Hanley M. E., Fenner M., & Edwards P. J.** (1996) Mollusc grazing and seedling survivorship of four common grassland plant species: the role of gap size, species and season. *Acta Oecologica* **17**: 331-341.
- Harris R. & Jones M.** (2000) Grazing on Orkney. *enact* **8**: 9-12.
- Hayashi I. & Numata M.** (1971) Viable buried-seed population in the *Miscanthus*- and *Zoysia*- type grasslands in Japan - ecological studies on the buried-seed population in the soil related to plant succession VI. *Japanese Journal of Ecology* **20**: 243-252.
- Hayes M. J. & Williams E. D.** (1994) Botanical changes in upland pasture induced by withdrawal of nutrients. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 284-285.
- Hector A., Schmid B., Beierkuhnlein C., Caldeira M. C., Diemer M., Dimitrakopoulos P. G., Finn J., Freitas H., Giller P.S., Good J., Harris R. H., Hogberg P., Huss-Danell K., Joshi J., Jumpponen A. K., Korner C., Leadley P. W., Loreau M., Minns A., Mulder C. P. H., O'Donovan G., Otway S. J., Pereira J. S., Prinz A., Read D.J., Scherer-Lorenzen M., Schulze E.-D., Siamantziouras A.-S. D., Spehn E., Terry A. C., Troumis A. Y., Woodward F. I., Yachi S. & Lawton J. H.** (1999) Plant diversity and productivity in European grasslands. *Science* **286**: 1123-1127.
- Helliwell D. R.** (1989) Soil transfer as a method of moving grassland and marshland vegetation. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, pp. 258-263.
- Henderson C. B., Petersen K. E. and Redak R. A.** (1988) Spatial and temporal patterns in the seed bank and vegetation of a desert grassland community. *Journal of Ecology* **76**: 717-728.
- Hill M. O.** (1979) *TWINSPAN – a FORTRAN Program for Arranging Multivariate Data in an Ordered Two Way Table of Classification of the Individuals and Attributes*. Cornell University, Department of Ecology and Systematics, Ithaca, New York.
- Hill N. M., Patriquin D. G. & Vander Kloet S. P.** (1989) Weed seed bank and vegetation at the beginning and end of the first cycle of a 4-course crop rotation with minimal weed control. *Journal of Applied Ecology* **26**: 233-246.
- Hillier S. H.** (1990) Gaps, seed banks and plant species diversity in calcareous grasslands. In: *Calcareous Grasslands - Conservation and Management*. Hillier S. H., Walton D. W. H. & Wells D. A. (eds), Bluntisham Books, Huntingdon, pp. 57-66.
- Hillier S. H.** (1984) A quantitative study of gap recolonization in two contrasted limestone grasslands. PhD thesis, University of Sheffield.

- Hitchmough J. D., Cutain H., Hammersley L. & Kellow J.** (1996) Effect of gap width and turf type on the establishment of the Australian forb *Bulbine bulbosa*. *Restoration Ecology* **4**: 25-32.
- Hodder K. H. & Bullock J. M.** (1997) Translocations of native species in the UK: implications for biodiversity. *Journal of Applied Ecology* **34**: 547-565.
- Hodgson J.** (1995) Choosing indicator species. In: *Monitoring Grassland vol 1: The Development of Botanical Monitoring Methods*, Hodgson J. G., Colasanti R. & Sutton F. E. (eds), English Nature Research Report **156**: English Nature, Peterborough.
- Hodgson J. G.** (1989) Selecting and managing plant materials used in habitat construction. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, pp. 45-67.
- Hodgson J. G.** (1987) Why do so few plants exploit productive habitats? An investigation into cytology, plant strategies and abundance within a local flora. *Functional Ecology* **1**: 243-250.
- Hodgson J. G., Colasanti R.** (1995) Functional analyses of NVC grassland communities. In: *Monitoring Grassland vol 1: The Development of Botanical Monitoring Methods*, Hodgson J. G., Colasanti R. & Sutton F. E. (eds), English Nature Research Report **156**: English Nature, Peterborough.
- Hodgson J. G., Colasanti R. & Sutton F.** (1995) *Monitoring Grassland vol 1: The Development of Botanical Monitoring Methods*. English Nature Research Report **156**: English Nature, Peterborough.
- Hodgson J. G. & Grime J. P.** (1990) The role of dispersal mechanisms, regenerative strategies and seed banks in the vegetation dynamics of the British landscape. In: *Species Dispersal in Agricultural Habitats*: Bunce R. G. H. & Howard D. C. (eds), Belhaven, London, pp. 65-81.
- Hodgson J. D., Grime J. P., Hunt R. & Thompson K.** (1995) *The Electronic Comparative Plant Ecology*. Chapman & Hall, London.
- Holmes R.** (1998) Life support. *New Scientist*, 15 August: 30-34.
- Hopkins A. & Hopkins J. J.** (1994) UK grasslands now: agricultural production and nature conservation. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 238-239.
- Hopkins A. & Pinto M.** (1998) Low-input systems. In: *Ecological Aspects of Grassland Management*, Nagy G. & Peto K. (eds), Proceedings of the 17th General Meeting of the European Grassland Federation, Hungary, BGS, Reading, pp. 197-212.
- Hopkins A., Pywell R. F., Peel S.** (1997) *Suitability of wild flower species for introduction on sites targeted for increased biodiversity*. British Grassland Society Fifth Research Conference, Seale Hayne College, British Grassland Society, Reading. pp. 193-194.
- Hopkins A., Pywell R., Peel S.** (1995) Restoration of botanical diversity of grassland by different methods of seed and plant introduction. *Annales Universitatis Mariae Curie* **50**: 133-137.
- Hopkins A., Pywell R. F., Peel S., Johnson R. H. & Bowling P. J.** (1999) Enhancement of botanical diversity of permanent grassland and impact on hay production in Environmentally Sensitive Areas in the UK. *Grass and Forage Science* **54**: 163-173.
- Hopkins J.** (1989) British meadows and pastures. *British Wildlife* **1**: 202-213.
- Howe C. D. & Chancellor R. J.** (1983) Factors affecting the viable seed content of soils beneath lowland pastures. *Journal of Applied Ecology* **20**: 915-922.

- Howe C. D. & Snaydon R. W.** (1986) Factors affecting the performance of seedlings and ramets of invading grasses in an established ryegrass sward. *Journal of Applied Ecology* **23**: 139-146.
- Howell E. A. & Jordan III W. R.** (1989) Tallgrass prairie restoration in the North American Midwest. In: *The Scientific Management of Temperate Communities for Conservation* Spellerberg J. F., Goldsmith F. B. & Morris M. G. (eds), Blackwell Scientific press, Oxford, pp. 395-413.
- Huhta A-P.; Rautio P.; Tuomi J. & Laine K.** (2001) Restorative mowing on an abandoned semi-natural meadow: short-term and predicted long-term effects. *Journal of Vegetation Science* **12**: 677-686.
- Hulme P. E.** (1996) Herbivory, plant regeneration, and species coexistence. *Journal of Ecology* **84**: 609-615.
- Hurlbert S.H.** (1984) Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* **54**:187-211.
- Hutchings M. J.** (1986a) Plant population biology. In: *Methods in Plant Ecology*, Moore P. D. & Chapman S. B. (eds), Blackwell Scientific Publications, Oxford, pp. 377-435.
- Hutchings M. J.** (1986b) The structure of plant populations. In: *Plant Ecology*, Crawley M.J. (ed), Blackwell Scientific Publications, Oxford, pp. 97-136.
- Hutchings M. J.** (1983) Plant diversity in four chalk grassland sites with different aspects. *Vegetatio* **53**: 179-189.
- Hutchings M. J. & Booth, K. D.** (1996a) Studies on the feasibility of recreating chalk grassland vegetation on ex-arable land. I. The potential roles of the seed bank and the seed rain. *Journal of Applied Ecology* **33**: 1171-1181.
- Hutchings M. J. & Booth K. D.** (1996) Studies of the feasibility of re-creating chalk grassland vegetation on ex-arable land. II. Germination and early survivorship of seedlings under different management regimes. *Journal of Applied Ecology* **33**: 1171-1181.
- Hutchings M. J. & de Kroon H.** (1994) Foraging in plants: the role of morphological plasticity in resource acquisition. *Advances in Ecological Research* **25**: 159-238.
- Huxel G. R. & Hastings A.** (1999) Habitat loss, fragmentation, and restoration. *Restoration Ecology* **7**: 309-315.
- Ingrouille M.** (1995) *Historical Ecology of the British Isles*. Chapman & Hall, London
- Ireland E. M.** (1992) *Factors influencing the establishment of floristically rich grasslands on a restored landfill site*. Unpublished PhD thesis, University of Essex.
- Jakobsson A. & Erikson O.** (2000) A comparative study of seed number, seed size, seedling size and recruitment in grassland plants. *Oikos* **88**: 494-502.
- Jalloq M. C.** (1975) The invasion of molehills by weeds as a possible factor in the degeneration of reseeded pasture. I. The buried viable seed population of molehills from four reseeded pastures in west Wales. *Journal of Applied Ecology* **12**: 643-657.
- Janssens F., Peeters A., Tallowin J. R. B, Bakker J. P., Bekker R. M, Fillat F & Oomes M. J. M.** (1998) Relationship between soil chemical factors and grassland diversity. *Plant and Soil* **202**: 69-78.
- Jarman R. A.** (1995) Ecological restoration: the end of *status quo*-ism in the National Trust? *Biological Journal of the Linnean Society* **56**: 213-215.
- Jefferson R. G.** (1999) Introduction to lowland grasslands. In: *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.
- Jefferson R. G.** (1999) Mowing and cutting. In: *The Lowland Grassland Management Handbook 2nd Ed*, Crofts A. & Jefferson R. G. (eds), English Nature/The Wildlife Trusts, Lincoln.

- Jefferson R. G., Gibson C. W. D., Leach S. J., Pulteney C. M., Wolton R. & Robertson H. J.** (1999) Grassland Habitat Translocation: the Case of Brocks Farm, Devon. English Nature Research Report **304**: Peterborough.
- Jefferson R. G. & Usher M. B.** (1987) The seed bank in soils of disused chalk quarries in the Yorkshire Wolds, England: implications for conservation management. *Biological Conservation* **42**: 287-302.
- Jeffrey D. W. & Pigott C. D.** (1973) The response of grasslands on sugar-limestone in Teesdale to application of phosphorus and nitrogen. *Journal of Ecology* **61**: 85-92.
- Johnson H.** (1984) *The Principles of Gardening*. Mitchell Beazley Publishers Ltd, London.
- Johnson M. S. & Bradshaw A. D.** (1979) Ecological principles for the restoration of disturbed and degraded land. *Applied Biology* **4**: 141-200.
- Jones A.** (2001) We plough the fields, but what do we scatter? A look at the science and practice of grassland restoration. *British Wildlife* **12**: 229-235.
- Jones A. T. & Hayes M. J.** (1999) Increasing floristic diversity in grassland: the effects of management regime and provenance on species introduction. *Biological Conservation* **87**: 381-390.
- Jones M. G.** (1933) Grassland management and its influence on the sward: I. factors influencing the growth of pasture plants. *Empire Journal of Experimental Agriculture* **1**: 43-57.
- Jongman R.H.G., ter Braak, C.J.F. & Van Tongeren O.F.R.** (eds) (1995) *Data Analysis in Community and Landscape Ecology*. Cambridge University Press.
- Jordan III, N. R., Gilpin M. E. & Aber J. D.** Restoration ecology: ecological restoration as a technique for basic research. (1987). In: *Restoration Ecology: a Synthetic Approach to Ecological Research*, Jordan III N. R., Gilpin M. E. & Aber J. D (eds), Cambridge University Press, Cambridge.
- Joshi J., Matthies D. & Schmid B.** (2000) Root hemiparasites and plant diversity in experimental grassland communities. *Journal of Ecology* **88**: 634-644.
- Karssen C. M. & Hilhorst H.W.M** (1992) Effect of chemical environment on seed germination. In: *Seeds - The Ecology of Regeneration in Plant Communities*, Fenner M (ed), CAB International, Wallingford. pp. 327-348.
- Katz E.** (2000) The Big Lie: Human restoration of nature. In *Environmental Restoration: Ethics, Theory and Practice*, Throop W. (ed), Humanity Books, New York, pp. 83-94.
- Kaule G. & Krebs S.** (1989) Creating new habitats in intensively used farmland. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, 161-169.
- Kellman M.** (1996) Redefining roles: plant community reorganization and species preservation in fragmented systems. *Global Ecological & Biogeographical Letters* **5**: 111-116.
- Kelly D.** (1989) Demography of short-lived plants in chalk grassland. III. Population stability. *Journal of Ecology* **77**: 785-798.
- Kendle A. D.** (1993) *The Restoration of Species-rich Grassland on Reclaimed Land*. Unpublished paper, University of Reading.
- Kendle A. D.** (1992) The management of man-made habitats. *Aspects of Applied Biology* **29**: 25-32.
- Kendle A. D. & Rose J. E.** (2000) The aliens have landed! What are the justifications for 'native only' policies in landscape plantings? *Landscape and Urban Planning* **47**: 19-31.

- Kent M. & Coker P.** (1992) *Vegetation Description and Analysis - A Practical Approach*. Belhaven Press, London.
- King A. & Clifford S.** (1998) *Field Days: An Anthology of Poetry*, Green Books, Devon.
- Kirby P.** (1992) *Habitat Management for Invertebrates*. JNCC/RSPB, Sandy, UK.
- Kirkham F. W. & Kent M.** (1997) Soil seed bank composition in relation to the above-ground vegetation in fertilized and unfertilized hay meadows on a Somerset peat moor. *Journal of Applied Ecology* **34**: 889-902.
- Kirkham F. W., Mountford J. O. & Wilkins R. J.** (1996) The effects of nitrogen, potassium and phosphorus addition on the vegetation of a Somerset peat moor under cutting management. *Journal of Applied Ecology* **33**: 1013-1029.
- Kirkham F. W. & Tallowin J. R. B.** (1995) The influence of cutting date and previous fertilizer treatment on the productivity and botanical composition of species-rich hay meadows on the Somerset Levels. *Grass and Forage Science* **50**: 365-377.
- Kirkham F. W. & Wilkins R. J.** (1994a) The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: nitrogen response under hay cutting and aftermath grazing. *Grass and Forage Science* **49**: 152-162.
- Kirkham F. W. & Wilkins R. J.** (1994b) The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: the effect of nitrogen, phosphorus and potassium on herbage production. *Grass and Forage Science* **49**: 163-175.
- Kitajima K. & Tilman D.** (1996) Seed banks and seedling establishment on an experimental productivity gradient. *Oikos* **76**: 381-391.
- Kovach W. L.** (2000) *MVSP - A Multivariate Statistical Package for Windows, ver. 3.0*. Kovach Computing Services, Pentraeth, Wales.
- Landlife** (1999) *Landlife Wildflowers Seed and Plant Catalogue*, Landlife, Liverpool.
- Lane C.** (1980) The development of pastures and meadows during the sixteenth and seventeenth centuries. *Agricultural History Review* **28**: 18-30.
- Lane D. R., Coffin D. P. & Lauenroth W. K.** (2000) Changes in grassland canopy structure across a precipitation gradient. *Journal of Vegetation Science* **11**: 359-368.
- Lavorel S., Lepart J., Debussche M., Lebreton J-D., Beffy J-L.** (1994) Small scale disturbance and the maintenance of species diversity in Mediterranean old fields. *Oikos* **70**: 455-473.
- Leishman M. R. & Westoby M.** (1994) The role of large seed size in shaded conditions: experimental evidence. *Functional Ecology* **8**: 205-214.
- Light A.** (2000) Restoration or domination? In: *Environmental Restoration: Ethics, Theory and Practice*, Throop, W. (ed), Humanity Books, New York, pp. 95-111.
- Liira J. & Zobel K.** (2000a) The species richness-biomass relationship in herbaceous plant communities: what difference does the incorporation of root biomass data make? *Oikos* **91**: 109-114.
- Liira J. & Zobel K.** (2000b) Vertical structure of a species-rich grassland canopy, treated with additional illumination, fertilization and mowing. *Plant Ecology* **146**: 185-195.
- Lord J. M., Wilson J. B., Steel J. B., Anderson B. J. & Bastow Wilson J.** (2000) Community reassembly: a test using limestone grassland in New Zealand. *Ecology Letters* **3**: 213-218.
- Losvik M. H.** (1999) Stimulation of seed germination in an abandoned hay meadow. *Applied Vegetation Science* **2**: 251-256.
- Ludwig J. A. & Reynolds J. F.** (1988). *Statistical Ecology*. John Wiley & Sons, New York.

- Luscombe G. & Scott R.** (1994) *Wildflowers Work: a technical guide to creating and maintaining wildflower landscapes*. Landlife, Liverpool.
- Lyster S.** (2002) Opportunity knocks. *Natural World* **63**: p. 5.
- Lyster S.** (2000) Stop, engage and reverse. *Natural World* **58**: The Wildlife Trusts, Newark.
- Macdonald D. W. & Johnson P. J.** (2000) Farmers and the custody of the countryside: trends in loss and conservation of non-productive habitats 1981-1998. *Biological Conservation* **94**: 221-234.
- MacDonald D. W. & Smith H.** (1994) Dispersal, dispersion and conservation in the agricultural system. In: *Species Dispersal in Agricultural Habitats*, Bunce R. G. H. & Howard D. C. (eds), Belhaven, London, pp. 18-35.
- Magurran A. E.** (1988) *Ecological diversity and its measurement*. Chapman and Hall, London.
- Mahdi A. & Law R.** (1987) On the spatial organization of plant species in a limestone grassland community. *Journal of Ecology* **75**: 459-476.
- Major J. & Pyott W. T.** (1968) Buried viable seeds in two California bunchgrass sites and their bearing on the definition of a flora. *Vegetatio* **13**: 253-280
- Manchester S. J., McNally S., Treweek J. R. Sparks T. H. & Mountford J. O.** (1999) The cost and practicality of techniques for the reversion of arable land to lowland wet grassland – an experimental study and review. *Journal of Environmental Management* **55**: 91-109.
- Marren P.** (1995) Harvests of beauty: the conservation of hay meadows. *British Wildlife* **6**: 235-243.
- Marrs R. H.** (1993) Soil fertility and nature conservation in Europe. Theoretical considerations and practical management solutions. *Advances in Ecological Research* **24**: 241-300.
- Marrs R. H.** (1985) Techniques for reducing soil fertility for nature conservation purposes: a review in relation to research at Roper's Heath, Suffolk, England. *Biological Conservation* **34**: 307-332.
- Marrs R. H. & Gough M. W.** (1989) Soil fertility - a problem for habitat restoration. In: *Biological Habitat Reconstruction*. Buckley G. P. (ed), Belhaven, London, pp. 29-44.
- Martin R.** (1996). The farmer, the taxpayer and the Trust. In: *Nature in Somerset*, Fancett K. (ed), Somerset Wildlife Trust, Bridgwater, pp. 14-17.
- MAFF (Ministry of Agriculture, Fisheries & Food)** (2001) *The Countryside Stewardship Scheme*. MAFF, London.
- MAFF (Ministry of Agriculture, Fisheries and Food).** (2000) Fertiliser Recommendations for Agricultural and Horticultural Crops (RB209) 7th Ed. The Stationary Office, London.
- MAFF (Ministry of Agriculture, Fisheries and Food).** (1998) *The Countryside Stewardship Scheme: Information and How to Apply*. Ministry of Agriculture, Fisheries and Food. London
- McCrea A. R., Trueman I. C. & Fullen M. A.** (2001) A comparison of the effects of four arable crops on the fertility depletion of a sandy silt loam destined for grassland habitat creation. *Biological Conservation* **97**: 181-187.
- McCune B. & Mefford M. J.** (1997) *PC-Ord for Windows: Multivariate Analysis of Ecological Data ver 3.15*. MJM Software, Oregon, USA.
- McDonald A. W.** (1994) The role of aftermath grazing in a flood-meadow community. In: *Grassland Management and Nature Conservation*, Haggard R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 308-9.

- McDonald A. W.** (1993) The role of seed bank and sown seeds in the restoration of an English flood-meadow. *Journal of Vegetation Science* **4**: 395-400.
- McLellan A. J., Law R. & Fitter A. H.** (1997) Response of calcareous grassland plant species to diffuse competition: results from a removal experiment. *Journal of Ecology* **85**: 479-490.
- Merryweather J.** (2001) Meet the Glomales - the ecology of mycorrhiza. *British Wildlife* **13**: 86-93.
- Milberg P.** (1995) Soil seed bank after eighteen years of succession from grassland to forest. *Oikos* **72**: 3-13.
- Miles J.** (1974) Effects of experimental interference with stand structure on establishment of seedlings in Callunetum. *Journal of Ecology* **62**: 675-687.
- Mitchell R. J., Marrs R. H. & Auld M. H. D.** (1998) A comparative study of seedbanks of heathland and successional habitats in Dorset, Southern England. *Journal of Ecology* **86**: 588-596.
- Mitchley J.** (1994) Sward structure with regard to conservation. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 43-53.
- Mitchley J.** (1988) Control of relative abundance of perennials in chalk grassland in southern England. II. Vertical canopy structure. *Journal of Ecology* **76**: 341-350.
- Mitchley J., Burch F. & Lawson C.** (1998) *Habitat Restoration Project: Development of Monitoring Guidelines*. EN Research Reports **284**: Peterborough.
- Mitchley J. & Grubb P. J.** (1986) Control of relative abundance of perennials of chalk grassland in southern England. I. Constancy of rank order and results of pot- and field-experiments on the role of interference. *Journal of Ecology* **74**: 1139-1166.
- MVF (Mole Valley Farmers Ltd)** (1998) *Grass Seed and Ley Mixtures*. Mole Valley Farmers Ltd, Devon.
- Moore N. W.** (1987) *The Bird of Time: the Science and Politics of Nature Conservation*. CUP, Cambridge.
- Morgan J. W.** (1999) Have tubestock plantings successfully established populations of rare grassland species into reintroduction sites in western Victoria? *Biological Conservation* **89**: 235-243.
- Morgan J. W.** (1998) Composition and seasonal flux of the soil seed bank of species-rich *Themeda triandra* grasslands in relation to burning history. *Journal of Vegetation Science* **9**: 145-156.
- Morgan J. M.** (1997) The effect of grassland gap size on establishment, growth and flowering of the endangered *Rutidosia leptorrhynchoides* (Asteraceae). *Journal of Applied Ecology* **34**: 566-576.
- Mountford J. O., Lakhani K. H., & Kirkham F. W.** (1993) Experimental assessment of the effects of nitrogen addition under hay-cutting and aftermath grazing on the vegetation of meadows on a Somerset peat moor. *Journal of Applied Ecology* **30**: 321-332.
- Mountford J. O., Tallowin J. R. B., Kirkham F. W. & Lakhani K. H.** (1994) The effect of inorganic fertilizers in flower-rich hay meadows on the Somerset Levels. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 74-85.
- Marshall Mr** (1789) *The Rural Economy of Gloucestershire*. Gloucester, pp. 170-195.
- Marshall P.** (1992) *Nature's Web: Rethinking Our Place on Earth*. Cassell, London.
- Naeem S., Knops J. M. H., Tilman D., Howe K. M., Kennedy T. & Gale S.** (2000) Plant diversity increases resistance to invasion in the absence of covarying extrinsic factors. *Oikos* **91**: 97-108.

- Newbold C.** (1989) Semi-natural habitats or habitat re-creation: conflict or partnership? In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London. pp. 9-16.
- Newman E. I.** (1973) Competition and diversity in herbaceous vegetation. *Nature* **244**: 310.
- Nixon P.** (1999) *Nature Conservation in a Living Countryside: the National Trust's Response*. The National Trust, London.
- Norušis M. J.** (1998) *SPSS 8.0: Guide to Data Analysis*. Prentice Hall, New Jersey.
- Novoplansky A. & Goldberg D. E.** (2001) Effects of water pulsing on individual performance and competitive hierarchies in plants. *Journal of Vegetation Science* **12**: 199-208.
- NPK Landlife** (1994) *Wildflower Compendium*. NPK Landlife, Manchester.
- Oates M. & Bullock D.** (1997) Browsers and grazers. *enact* **5**: 15-18.
- Olf H. & Bakker J. P.** (1991) Long-term dynamics of standing crop and species composition after the cessation of fertilizer application to mown grassland. *Journal of Applied Ecology* **28**: 1040-1052.
- Olf H, Hoorens B., de Goede R.G.M., van der Putten W. H. & Gleichman J. M.** (2000) Small-scale shifting mosaics of two dominant grassland species: the possible role of soil-borne pathogens. *Oecologia* **125**: 45-54.
- Oomes M. J. M.** (1992) Yield and species density of grasslands during restoration management. *Journal of Vegetation Science* **3**: 271-274.
- Oomes M. J. M. & Mooi H.** (1981) The effect of cutting and fertilizing on the floristic composition and production of an *Arrhenatherion elatioris* grassland. *Vegetatio* **47**: 233-239.
- Ouborg N. J. & van Treuren R.** (1995) Variation in fitness-related characters among small and large populations of *Salvia pratensis*. *Journal of Ecology* **83**: 369-380.
- Packard S. & Mutel C. F. (eds)** (1997) *The Tallgrass Restoration Handbook for Prairies, Savannas, and Woodlands*. Society for Ecological Restoration, Island Press, Washington D.C.
- Pakeman R. J., Attwood J. P. & Engelen J.** (1998) Sources of plants colonizing experimentally disturbed patches in acidic grassland, in eastern England. *Journal of Ecology* **86**: 1032-1041.
- Pakeman R. J., Pywell R. F. & Wells T.C.E.** (2002) Species spread and persistence in a small plot, habitat recreation trial: implications for experimental design and recreation prescriptions. *Applied Vegetation Science* (in press).
- Parish R. & Turkington R.** (1990a) The influence of dung pats and molehills on pasture composition. *Canadian Journal of Botany* **68**: 1698-1705.
- Parish R., Turkington R.** (1990b) The colonization of dung pats and molehills in permanent pastures. *Canadian Journal of Botany* **68**: 1706-1711.
- Parker D. M.** (1995) *Habitat Creation - a Critical Guide*. **21**: English Nature Science, Peterborough.
- Parker V. T. & Pickett S. T. A.** (1997) Restoration as an ecosystem process: implications of the modern ecological paradigm. In: *Restoration Ecology and Sustainable Development*, Urbanska K. A., Webb N. R. & Edwards P. J. (eds), Cambridge University Press, pp. 17-32
- Parr T. W. & Way J. M.** (1988) Management of roadside vegetation: the long-term effects of cutting. *Journal of Applied Ecology* **25**: 1073-1087.
- Pegtel D. M.** (1987) Soil fertility and the composition of semi-natural grassland. In: *Disturbance in Grasslands*, Van Andel J., Bakker J. P. & Snaydon R.W. (eds), Junk, Dordrecht, pp. 51-66

- Pegtel D. M., Bakker J. P., Verweij G. L. & Fresco L. F. M.** (1996) N, K and P deficiency in chronosequential cut summer-dry grasslands on gley podzol after cessation of fertilizer application. *Plant and Soil* **178**: 121-131.
- Percival S. M.** (1993) The effects of reseeding, fertilizer application and disturbance on the use of grasslands by barnacle geese, and the implications for refuge management. *Journal of Applied Ecology* **30**: 437-443.
- Pickett S. T. A., & Thompson J. N.** (1978) Patch dynamics and the design of nature reserves. *Biological Conservation* **13**: 27-37.
- Pimm S. L.** (1986) Community stability and structure. In: *Conservation Biology: the Science of Scarcity and Diversity*, Soulé M. E. (ed), Sinauer Associates, Massachusetts, pp. 309-329.
- Policy Commission** (2002) *Farming and Food: a Sustainable Future*. Report of the Policy Commission on the Future of Farming and Food, DEFRA, <http://www.cabinet-office.gov.uk/farming/>
- Poschold P., Kiefer S., Tränkle U., Fischer S. & Bonn S.** (1998) Plant species richness in calcareous grasslands as affected by dispersability. *Applied Vegetation Science* **1**: 75-90.
- Putman R. J., Fowler A. D. & Tout S.** (1991) Patterns of use of ancient grassland by cattle and horses and effects on vegetational composition and structure. *Biological Conservation* **56**: 329-347.
- Pye-Smith C.** (2000) Counting on cowslips. *Plantlife spring*: 10-11.
- Pywell R., Peel S., Hopkins A. & Bullock J.** (1997) Multi-site experiments on the restoration of botanically diverse grassland in ESAs. In: *Grassland management in Environmentally Sensitive Areas. Occasional Symposium No. 32*. Sheldrick R. D. (ed), British Grassland Society, pp. 160-165.
- Rabinowitz D.** (1981) Buried viable seeds in a North American tall-grass prairie: the resemblance of their abundance and composition to dispersing seeds. *Oikos* **36**: 191-195.
- Rabinowitz, D. & Rapp, J. K.** (1985) Colonisation and establishment of Missouri prairie plants on artificial soil disturbance. III. Species abundance distributions, survivorship, and rarity. *American Journal of Botany* **72**: 1635-1640.
- Rackham O.** (1986). *The History of the Countryside*. J. M. Dent & Sons Ltd., London
- Rapp J. D. & Rabinowitz D.** (1985) Colonization and establishment of Missouri prairie plants on artificial soil disturbances. I. Dynamics of forb and graminoid seedlings and shoots. *American Journal of Botany* **72**: 1618-1628.
- Ratcliffe D. A.** (1984) Post-medieval and recent changes in British vegetation: the culmination of human influence. *New Phytologist* **98**: 73-100.
- Read D. J.** (1993) Plant microbe mutualisms and community structure. In: *Biodiversity and Ecosystem Function*, Schulze E-D. & Mooney H. A. (eds), Springer-Verlag, Berlin, pp. 181-209.
- Really Wild Flowers** (1998) Sales brochure, Really Wild Flowers, High Value Horticulture Ltd, Blandford Forum, Dorset.
- Rice K. J.** (1989) Impacts of seed banks on grassland community structure and population dynamics. In: *Ecology of Soil Seed Banks*. Leck M. A., Parker V. T. & Simpson R. L. (eds). Academic Press, San Diego, pp. 211-229.
- Roberts H. A.** (1986) Seed persistence in soil and seasonal emergence in plant species from different habitats. *Journal of Ecology* **23**: 639-656.
- Roberts H. A.** (1981) Seed banks in soils. *Advances in Applied Biology* **6**: 1-55.
- Roberts H. A. & Neilson J. E.** (1981) Changes in the soil seed bank of four long-term crop herbicide experiments. *Journal of Applied Ecology* **18**: 661-668.

- Rodwell J. S.** (1992) *British Plant Communities Volume 3. Lowland Grassland and Montane Communities*. Cambridge University Press.
- RSPB (Royal Society for the Protection of Birds)** (2001) *Futurescapes: Large-scale Habitat Restoration for Wildlife and People*. The RSPB, Sandy, Bedfordshire.
- Rusch G. & Fernández-Palacios J. M.** (1995) The influence of spatial heterogeneity on regeneration by seed in a limestone grassland. *Journal of Vegetation Science* **6**: 417-426.
- Sackville Hamilton N. R.** (2001) Is local provenance important in habitat creation? A reply. *Journal of Applied Ecology* **38**: 1374-1376.
- Sarukhán J.** (1974) Studies on plant demography: *Ranunculus repens* L., *R. bubosus* L. and *R. acris* L. II. Reproductive strategies and seed population dynamics. *Journal of Ecology* **62**: 151-177.
- Sauerbeck D. R.** (2001) CO₂ emissions and C sequestration by agriculture – perspectives and limitations. *Nutrient Cycling in Agroecosystems* **60**: 253-266.
- Saverimuttu T. & Westoby** (1996) Seedling longevity under deep shade in relation to seed size. *Journal of Ecology* **84**: 681-689.
- Schaffers, A. P., Vesseur, M. C. & Sýkora, K. V.** (1998) Effects of delayed hay removal on the nutrient balance of roadside plant communities. *Journal of Applied Ecology* **35**: 349-364.
- SER (Society for Ecological Restoration)** (2000) *Internet Resources Site*. <http://www.ser.org/>
- Shafer C. L.** (1990) *Nature Reserves: Island Theory and Conservation Practice*. Smithsonian Institution Press, Washington.
- Shared Earth Trust** (2000) *Transforming intensively-managed grassland*. Booklet 7: Shared Earth Trust, Lampeter, Wales.
- Sheail J.** (1995) Elements of sustainable agriculture: the UK experience, 1840-1940. *Agricultural History Review* **43**: 178-192.
- Schenkeveld A. J. & Verkaar H. J.** (1984) The ecology of short-lived forbs in chalk grasslands: distribution of germinative seeds and its significance for seedling emergence. *Journal of Biogeography* **11**: 251-260.
- Shrader-Frechette K. S. & McCoy E. D.** (1994). What ecology can do for environmental management. *Journal of Environmental Management* **41**: 293-307.
- Silvertown J.** (1987) *Plant Population Ecology*. Longman Scientific & Technical, London.
- Silvertown J. W. & Dickie J. B.** (1980) Seedling survivorship in natural populations of nine perennial chalk grassland plants. *New Phytologist* **88**: 555-558.
- Silvertown J., Dodd, M. E., McConway K., Potts J. & Crawley M.** (1994) Rainfall, biomass variation, and community composition in the Park Grass Experiment. *Ecology* **75**: 2430-2437.
- Silvertown J. & Franco M.** (1993) Plant demography and habitat: a comparative approach. *Plant Species Biology* **8**: 67-73.
- Silvertown J., Lines C. E. M. & Dale M. P.** (1994) Spatial competition between grasses - rates of mutual invasion between four species and the interaction with grazing. *Journal of Ecology* **82**: 31-38.
- Silvertown J. & Smith B. A.** (1988) Gaps in the canopy: the missing dimension in vegetation dynamics. *Vegetatio* **77**: 57-60.
- Silvertown J. W., Wells D. A., Gillman M., Dodd M. E., Robertson H. J. & Lakhani K. E.** (1994) Effects and long term after effects of fertilizer application on the flowering population of green winged orchid *Orchis morio*. *Biological Conservation* **69**: 191-197.

- Simpson D. & Gee M.** Setting up a grazing project. *enact* **5**: 4-7.
- Small R.** (1994) Conservation and rare breeds of livestock. *British Wildlife* **6**: 28-36.
- Smith A. & Allcock P. J.** (1985) The influence of species diversity on sward yield and quality. *Journal of Applied Ecology* **22**: 185-198.
- Smith H. McCallum K. & Macdonald D. W.** (1997) Experimental comparison of the nature conservation value, productivity and ease of management of a conventional and a more species-rich grass ley. *Journal of Applied Ecology* **34**: 53-64.
- Smith R. S.** (1994) Effects of fertilisers on plant species composition and conservation interest of UK grasslands. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 64-73.
- Smith R. & Corkhill P.** (2000) Diversifying upland meadows. *enact* **8**: 18-21.
- Smith R. S., Corkhill P., Shiel R. S. & Millward D.** (1996) The conservation management of mesotrophic (meadow) grassland in Northern England. 2. Effects of grazing, cutting date, fertilizer and seed application on the vegetation of an agriculturally improved sward. *Grass and Forage Science* **51**: 292-305
- Smith R. S. & Jones L.** (1991) The phenology of mesotrophic grassland in the Pennine Dales, northern England: historic hay cutting dates, vegetation variation and plant species phenologies. *Journal of Applied Ecology* **28**: 42-59.
- Smith R. S., Pullan S. & Shiel R. S.** (1996) Seed shed in the making of hay from mesotrophic grassland in a field in Northern England: effects of hay cut date, grazing and fertilizer in a split-split-plot experiment. *Journal of Applied Ecology* **33**: 833-841.
- Smith R. S. & Rushton S. P.** (1994) The effects of grazing management on the vegetation of mesotrophic (meadow) grassland in Northern England. *Journal of Applied Ecology* **31**: 13-24.
- Smith R. S., Shiel R. S., Millward D. & Corkhill P.** (2000) The interactive effects of management on the productivity and plant community structure of an upland meadow: an 8-year field trial. *Journal of Applied Ecology* **37**: 1029-1043.
- Smith R. S., Shiel R. S., Millward D., Corkhill P. & Sanderson R. A.** (2002) Soil seed banks and the effects of meadow management on vegetation change in a 10-year field trial. *Journal of Applied Ecology* **39**: 279-293.
- Smith R. E. N. & Tallwin J. R. B.** (1995) The effects of nitrogen fertilizer on the seed bank of a *Centaureo-Cynosuretum* in the Somerset Levels, England. In: *Floristical Diversity of Grassland*. Annales Universitatis Mariae Curie-Sklodowska Lublin-Polonia, Vol. L, Marie Curie University, Lublin: pp. 223-228.
- Snaydon R. W. & Howe C. D.** (1986) Root and shoot competition between established ryegrass and invading grass seedlings. *Journal of Applied Ecology* **23**: 667-674.
- Snow C. S. R., Marrs R. H. & Merrick L.** (1997) Trends in soil chemistry and floristics associated with the establishment of a low-input meadow system on an arable clay soil in Essex. *Biological Conservation* **79**: 35-41.
- Sokal R. R. & Rohlf F. J.** (1995) *Biometry: the principles and practice of statistics in biological research*. W. H. Freeman.
- SSDC (South Somerset District Council).** (1998) Lowland neutral hay meadows and pastures - habitat action plan. In: *South Somerset Biodiversity Action Plan*. Somerset Environmental Records Centre, Somerset.
- SSDC (South Somerset District Council).** (1999) *A Strategy for Nature Conservation in South Somerset*. Conservation & Environment Unit, SSDC, Somerset.
- Stace C.** (1991) *New Flora of the British Isles*. Cambridge University Press, Cambridge.
- Stamp L. D.** (1938) The land utilisation of Somerset. In: *The Land of Britain: the Report of the Land Utilisation Survey of Britain*, London, pp. 44-49.

- Stampfli A.** (1995) Species composition and standing crop variation in an unfertilized meadow and its relationship to climatic variability during six years. *Folia Geobot. Phytotax., Praha* **30**: 117-130.
- Stampfli A. & Zeiter M.** (1999) Can plant-species decline due to abandonment of meadows be reversed by mowing? A case study from the southern Prealps. *Journal of Vegetation Science* **10**: 151-164.
- Stirling D.** (1996) *Agricultural and Rural Issues in South East Somerset*. Unpublished Report, MAFF, Bristol.
- Stoate C.** (1995) The changing face of lowland farming and wildlife. Part 1 1845-1945. *British Wildlife* **6**: 341-350.
- Stoate C.** (1996) The changing face of farming and wildlife. Part 2 1945-1995. *British Wildlife* **7**: 162-172.
- Strykstra R. J., Bekker R. M. & Bakker J. P.** (1998) Assessment of dispersule availability: its practical use in restoration management. *Acta Botanica Neerlandica* **47**: 57-70.
- SWT (Somerset Wildlife Trust)** (1998) *Reserves Acquisition Policy*. Unpublished report, SWT, Taunton, Somerset.
- Tallowin J. R. B.** (1997) *The Agricultural Productivity of Lowland Semi-Natural Grassland: a Review*. English Nature Research Reports **233**: Peterborough.
- Tallowin J. R. B. & Jefferson R. G.** (1999) Hay production from lowland semi-natural grasslands: a review of implications for ruminant livestock systems. *Grass and Forage Science* **54**: 99-115.
- Tallowin J. R. B. & Smith R. E. N.** (2001) Restoration of a *Cirsio-Molinietum* fen meadow on an agriculturally improved pasture. *Restoration Ecology* **9**: 167-178.
- Tallowin J. R. B., Smith R. E. N. & Kirkham F. W.** (1995) Restoration of floristic diversity to a de-intensified species-impooverished grassland in the UK: a case study. In *Floristical Diversity of Grassland*. Annales Universitatis Mariae Curie-Sklodowska Lublin-Polonia, Vol. L, Marie Curie University, Lublin: pp. 237-245
- Tamm C. O.** (1991) Behaviour of some orchid populations in a changing environment, observations on permanent plots, 1943-1990. In: *Population Ecology of Terrestrial*
- Tamm C. O.** (1956) Further observations on the survival and flowering of some perennial herbs. I. *Oikos* **7**: 273-92.
- Tanner H.** (1857) The management of grass land. *Journal of the Bath & West of England Society* **5**: 53-86.
- ter Braak, C. F. J.** (1987) The analysis of vegetation-environment relationships by canonical correspondence analysis. *Vegetatio* **69**: 69-77.
- Thirsk J. (ed)** (2000) *The English Rural Landscape*, OUP, Oxford.
- Thomas, K.** (1983) *Man and the Natural World: Changing Attitudes in England 1500-1800*. Penguin Books,, Middlesex.
- Thomas J. & Lewington R.** (1991) *The Butterflies of Britain and Ireland*. National Trust/Dorling Kindersley, London.
- Thompson K.** (1993) Germination at alternating temperatures. In: *Methods in Comparative Plant Ecology – A Laboratory Manual*, Hendry G. A. F. & Grime J. P. (eds), Chapman & Hall, London, pp. 183-184.
- Thompson K.** (1993) Persistence in soil. In: *Methods in Comparative Plant Ecology – A Laboratory Manual*, Hendry G. A. F. & Grime J. P. (eds), Chapman & Hall, London, pp. 199-202.
- Thompson K.** (1987) Seeds and seed banks. *New Phytologist* **106**: 23-34.
- Thompson K.** (1986) Small-scale heterogeneity in the seed bank of an acidic grassland. *Journal of Ecology* **74**: 733-738.

- Thompson K., Bakker J. P. & Bekker R. M.** (1997) *Soil Seed Banks of North-West Europe: Methodology, Density and Longevity*. Cambridge University Press, Cambridge.
- Thompson K., Green A. & Jewels A. M.** (1994) Seeds in soil and worm casts from a neutral grassland. *Functional Ecology* **8**: 29-35.
- Thompson K. & Grime J. P.** (1979) Seasonal variation in the seed banks of herbaceous species in ten contrasting habitats. *Journal of Ecology* **67**: 893-921.
- Thórhallsdóttir T. E.** (1990) The dynamics of five grasses and white clover in a simulated mosaic sward. *Journal of Ecology* **78**: 909-923.
- Throop W.** (2000a) Introduction. In: *Environmental Restoration: Ethics, Theory and Practice*, Throop W. (ed), Humanity Books, New York, pp. 11-23.
- Throop W.** (2000b) Epilogue. In: *Environmental Restoration: Ethics, Theory and Practice*, Throop W. (ed), Humanity Books, New York, pp. 237-238.
- Tilman D.** (1997) Community invasibility, recruitment limitation, and grassland biodiversity. *Ecology* **78**: 81-92.
- Tilman D.** (1993) Species richness of experimental productivity gradients: how important is colonisation limitation. *Ecology* **74**: 2179-2191.
- Tilman D.** (1984) Plant dominance along an experimental nutrient gradient. *Ecology* **65**: 1445-1453.
- Tilman D., Dodd M. E., Silvertown J., Poulton P. R., Johnston A. E. & Crawley M. J.** (1994) The Park Grass experiment: insights from the most long-term ecological study. In: *Long-term Experiments in Agricultural and Ecological Sciences*. Leigh R. A. & Johnston A. E. (eds), CAB International, pp. 287-303.
- Tilman D. & El Haddi A.** (1992) Drought and biodiversity in grasslands. *Oecologia* **89**: 257-264.
- Trudgill S.** (1989) *Soil Types – a Field Identification Guide*. Field Studies Council, Shrewsbury.
- Turkington R.** (1989) The growth, distribution and neighbour relationships of *Trifolium repens* in a permanent pasture. V. The coevolution of competitors. *Journal of Ecology* **77**: 717-733.
- Turkington R. & Harper J. L.** (1979) The growth, distribution and neighbour relationships of *Trifolium repens* in a permanent pasture. I. Ordination, pattern and contact. *Journal of Ecology* **67**: 201-218.
- Turnbull L.A., Crawley M.J. & Rees M.** (2000) Are plant populations seed-limited? A review of seed-sowing experiments. *Oikos* **88**: 225-238.
- UK Biodiversity** (2001) Biodiversity web resource. <http://www.ukbap.org.uk/>
- UK Biodiversity Group (UKBAP)** (2001) *Millenium Biodiversity Report*. DETR, London.
- UK Biodiversity Group (UKBAP)** (1998) *UK Biodiversity Group Tranche 2 Action Plans – Volume III: Terrestrial and Freshwater Habitats*. English Nature, Peterborough.
- UK Biodiversity Research Working Group (UKBRWG)** (2000) *Setting the agenda for biodiversity research: Biodiversity and agriculture: focus on pastoral systems - (grazing management and policy)*. Unpublished report, DETR, London.
- UK Biodiversity Steering Group (UKBSG)** (1995) *Biodiversity: The UK Steering Group Report: Meeting the Rio Challenge (Volume I)*. HMSO, London
- Urbanska K. A., Webb N. R. & Edwards P. J.** (1997) Why restoration? In: *Restoration Ecology and Sustainable Development*, Urbanska K. A., Webb N. R. & Edwards P. J. (eds), Cambridge University Press, pp. 3-7.

- Usher M. B. (ed)** (1986) *Wildlife Conservation Evaluation*. Chapman & Hall, London.
- van Andel J.** (1998) Intraspecific variability in the context of ecological restoration projects. *Perspectives in Plant Ecology, Evolution and Systematics* **2**: 221-237.
- van den Bos J. & Bakker J. P.** (1990) The development of vegetation patterns by cattle grazing at low stocking density in the Netherlands. *Biological Conservation* **51**: 263-272.
- van der Maarel E.** (1988). Vegetation dynamics: patterns in time and space. *Vegetatio* **77**: 7-19.
- van der Valk A. G. & Pederson R. L.** (1989) Seed banks and the management and restoration of natural vegetation. In: *Ecology of Soil Seed Banks*, Leck M. A., Parker V. T. & Simpson R. L. (eds), Academic Press, San Diego, pp. 329-346.
- van der Valk A. G. & Verhoeven, J. T. A.** (1988) Potential role of seed banks and understory vegetation in restoring quaking fens from floating forests. *Vegetatio* **76**: 3-13.
- van der Wal R., Egas M., Van Der Veen A. & Bakker J.** (2001) Effects of resource competition and herbivory on plant performance along a natural productivity gradient. *Journal of Ecology* **88**: 317-330.
- van der Woude B. J., Pegtel D. M. & Bakker J. P.** (1994) Nutrient limitation after long-term nitrogen fertilizer application in cut grasslands. *Journal of Applied Ecology* **31**: 405-412.
- van Duren I. C., Strykstra R. J., Grootjans A. P., ter Heerdt G. N. J. & Pegtel D. M.** (1998) A multidisciplinary evaluation of restoration measures in a degraded *Cirsio-Molinietum* fen meadow. *Applied Vegetation Science* **1**: 115-130.
- van Elsen T.** (2000) Species diversity as a task for organic agriculture in Europe. *Agriculture, Ecosystems and Environment* **77**: 101-109.
- van Groenendael J. M., Ouborg N. J. & Hendriks, R. J. J.** (1998) Criteria for the introduction of plant species. *Acta Botanica Neerlandica* **47**: 3-13.
- van Hulst R., Shipley B. & Thériault A.** (1987) Why is *Rhinanthus minor* (Scrophulariaceae) such a good invader? *Canadian Journal of Botany* **6**: 2373-2379.
- Verkaar H. J., Schenkenveld A. J., Brand J. M.** (1983) On the ecology of short-lived forbs in chalk grassland: micro-site tolerances in relation to vegetation structure. *Vegetatio* **52**: 91-102.
- Waite S.** (2000) *Statistical Ecology in Practice*. Prentice Hall, New Jersey.
- Waite S.** (1984) Changes in the demography of *Plantago coronopus* at two coastal sites. *Journal of Ecology* **72**: 809-826.
- Walker E. G. F.** (1911) Agriculture. In: *A History of Somerset vol. II. Victoria History of the Counties of England*. Page W. (ed), London, pp. 533-545.
- Ward L. K. & Jennings R. D.** (1990) Succession of disturbed and undisturbed chalk grassland at Aston Rowant National Nature Reserve: details of changes in species. *Journal of Applied Ecology* **27**: 897-912.
- Warren J. M.** (2000) The role of white clover in the loss of diversity in grassland habitat restoration. *Restoration Ecology* **8**: 318-323.
- Warwick M. A.** (1984) Buried seeds in arable soils in Scotland. *Weed Research* **24**: 261-268.
- Wathern P. & Gilbert O. L.** (1978) Artificial diversification of grassland with native herbs. *Journal of Environmental Management* **7**: 29-42.
- Wathern P. & Gilbert O. L.** (1979) The production of grasslands on subsoil. *Journal of Environmental Management* **8**: 269-275.
- Watkinson A. R.** (1986) Plant population dynamics. In: *Plant Ecology*, M. J. Crawley (ed), Blackwell, pp. 137-184.

- Watson D. & Hack V.** (2000) *Wildlife Management & Habitat Creation on Landfill Sites: a Manual of Best Practice*. Ecoscope Applied Ecologists, Richmond, N. Yorkshire.
- Way J. M.** (1989) Reconstruction of habitats on farmland. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, pp. 102-114.
- Wells T. C. E.** (1990) Establishing chalk grassland on previously arable land using seed mixtures. In: *Calcareous Grasslands - Ecology and Management*, Hillier S. H., Walton D. W. H. & Wells D.A. (eds), Bluntisham Books, Huntingdon, pp. 169-170.
- Wells T. C. E.** (1983) The creation of species-rich grasslands. In: *Conservation in Perspective*, Warren A. & Goldsmith F. B. (eds), John Wiley & Sons Ltd, London, pp. 215-246.
- Wells T. C. E.** (1971) A comparison of the effects of sheep grazing and mechanical cutting on the structure and botanical composition of chalk grassland. In: *The Scientific Management of Animal and Plant Communities for Conservation*, Duffey E. & Watt A. S. (eds), Blackwell Scientific Publications, Oxford, pp. 497-515.
- Wells T. C. E., Bell S. & Frost A.** (1981) Creating attractive grasslands using native plant species. N.C.C., Peterborough.
- Wells T. C. E., Cox R. and Frost A.** (1989) Diversifying grasslands by introducing seed and transplants into existing vegetation. In: *Biological Habitat Reconstruction*, Buckley G. P. (ed), Bellhaven Press, London, pp. 283-297.
- Wells T. C. E., Sheail J., Ball D. F. & Ward L. K.** (1976) Ecological studies on the Porton Ranges: relationships between vegetation, soils and land-use history. *Journal of Ecology* **64**: 589-626.
- Westbury D.** (2001) *Shifting the competitive balance: the use of *Rhinanthus minor* and other techniques to promote forb abundance on productive sites*. Unpublished PhD Thesis, Sheffield University, Sheffield.
- Westbury D. B. & Dunnett N. P.** (2000) The effect of the presence of *Rhinanthus minor* on the composition and productivity of created swards on ex-arable land. *Aspects of Applied Biology* **58**: 271-278.
- Westbrook D.** (2000a) Where are all the cowslip fields? *News* (Jan), Somerset Wildlife Trust, Bridgwater, Somerset, p. 10.
- Westbrook D.** (2000b) Taunton Deane's biodiversity blueprint. *News* (May), Somerset Wildlife Trust, Bridgwater, Somerset, pp. 12-14.
- White P.** (1996). Grasslands: a habitat in crisis. In: *Nature in Somerset*, Fancett K. (ed), Somerset Wildlife Trust, Bridgwater, pp. 3-8.
- White P. S. & Walker J. L.** (1997) Approximating nature's variation: selecting and using reference information in restoration ecology. *Restoration Ecology* **5**: 338-349.
- Whyte M.** (1997) The loss of unimproved grasslands in Somerset, from the 1930s to the 1990s. *Proceedings of the Somerset Archaeological & Natural History Society*, **139**, 215-220.
- Willems J. H.** (2001) Problems, approaches, and results in restoration of Dutch calcareous grassland during the last 30 years. *Restoration Ecology* **9**: 147-154.
- Willems J. H.** (1996) Soil seed bank, seedling recruitment and actual species composition in an old and isolated chalk grassland site. *Folia Geobotanica Phytotaxa, Praha* **30**: 141-156.
- Willems J. H.** (1983) Species composition and above-ground phytomass in chalk grassland with different management. *Vegetatio* **52**: 171-180.

- Willems J. H. & Bik L. P. M.** (1998) Restoration of high species density in calcareous grassland: the role of seed rain and soil seed bank. *Applied Vegetation Science* **1**: 91-100.
- Willems J. H. & van Nieuwstadt M. G. L.** (1996) Long-term after effects of fertilization on above-ground phytomass and species diversity in calcareous grassland. *Journal of Vegetation Science* **7**: 177-184.
- Williams E. D.** (1984) Changes during 3 years in the size and composition of the seed bank beneath a long-term pasture as influenced by defoliation and fertilizer regime. *Journal of Applied Ecology* **21**: 603-615.
- Williams E. D.** (1985) Long-term effects of fertilizer on botanical composition and soil seed population of a permanent grass sward. *Grass and Forage Science* **40**: 479-483.
- Willis A. J.** (1963) Braunton Burrows: the effects on the vegetation of the addition of mineral nutrients to the dune soils. *Journal of Ecology* **51**: 353-374.
- Wilson E. O.** (2002) *The Future of Life*. Little Brown, London.
- Wilson P. J.** (1994) Potential for restoration of species-rich grasslands on set-aside arable land. In: *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium 28, pp. 318-319.
- Wilson S. D. & Tilman D.** (1991) Components of plant competition along an experimental gradient of nitrogen availability. *Ecology* **72**: 1050-1065.
- Wu J. & Levin S. A.** (1994) A spatial patch dynamic modelling approach to pattern and process in an annual grassland. *Ecological Monographs* **64**: 447-464.
- Yeo M. J. M., Blackstock T. H & Stevens D. P.** (1998) The use of phytosociological data in conservation assessment: a case study of lowland grassland in mid Wales. *Biological Conservation* **86**: 125-138.
- Young T. P.** (2000) Restoration ecology and conservation biology. *Biological Conservation* **92**: 73-83.
- Younger A. & Smith R. S.** (1994) Hay meadow management in the Pennine Dales, Northern England. In *Grassland Management and Nature Conservation*, Hagger R. J. & Peel S. (eds), British Grassland Society Occasional Symposium **28**, pp. 137–143.
- Zedler J. B.** (2001) *Handbook for restoring tidal wetlands*. CRC Press, London.
- Zedler J. B., & Callaway J. C.** (2002) Adaptive restoration: a strategic approach for integrating research into restoration projects. In: *Managing for Healthy Ecosystems* Rapport D., Lasley W., Rolston D., Nielsen O., Qualset C. & Damania A. (eds), CRC/Lewis Press.

